बिड संख्या/Bid Number: GEM/2026/B/8261957

दिनांक /Dated: 23-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	14-12-2026 11:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	15-12-2026 11:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	155 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health Research
संगठन का नाम/Organisation Name	Indian Council Of Medical Research (icmr)
कार्यालय का नाम/Office Name	Icmr Nireh Bhopal
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :director.nireh@icmr.gov.in Buyer Email id: shahed.khan@icmr.gov.in
कुल मात्रा/Total Quantity	36
वस्तु श्रेणी /Item Category	TFAM , OXPHOS cocktail , COX IV , SDHB , TOM20 , DRP1 , yH2AX , ATM , ATR , Phospho-CHK1 , PARP1 , POLG , PINK1 , Parkin , Phospho-ubiquitin , LC3B , SQSTM1 , BNIP3L , ATF4 , Phospho-eIF2a , CHOP , DELE1 , HRI , OMA1 , Cytochrome , BAX , BCL-2 , Cleaved caspase-3 , Cleaved PARP1 , BIM , DNMT1 , TET2 , SIRT3 , SIRT5 , Histone H3K27me3 , Histone H3K27ac
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	TFAM, OXPHOS cocktail (complexes IV), COX IV / COX4I1, SDHB, TOM20 / TOMM20, DRP1 / DNM1L, ?H2AX / phospho-H2AX (Ser139), ATM, ATR, Phospho-CHK1 (Ser345), PARP1 / cleaved PARP1, POLG, PINK1, Parkin / PRKN, Phospho-ubiquitin (Ser65), LC3B / MAP1LC3B, SQSTM1 / p62, BNIP3L / NIX, ATF4, Phospho-eIF2? (Ser51), CHOP / DDIT3, DELE1, HRI / EIF2AK1, OMA1, Cytochrome c / CYCS, BAX, BCL-2, Cleaved caspase-3, Cleaved PARP1, BIM / BCL2L11, DNMT1, TET2, SIRT3, SIRT5, Histone H3K27me3, Histone H3K27ac
	Searched String: TFAM Category not available on GeM for the text string uploaded by the buyer **Searched String**: OXPHOS cocktail (complexes IV) General purpose Machinery and Spindle Oils (V2) Conforming to IS 493, Sanitary Napkins Incinerator Machine with Smoke Control Unit, Insulating Mats for Electrical Purposes ISI Marked 15652 (V3), 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, POLYETHYLENE FILMS AND SHEETS (V3) Conforming to IS

बिड विवरण/Bid Details	2508, Tarpaulins Made from High Density Polyethylene (HDPE) Woven Fabrics (V3) Conforming to IS 7903
	Searched String: COX IV / COX4I1 METRONIDAZOLE IV INFUSION, Nitrile Coated/Nitrile Hand Gloves (V2), IV Cannula Fixator Dressing, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Saline Stand (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), MANNITOL, Biosafety Cabinet (V2), RINGER LACTATE, All in One PC (V2) **Searched String**: SDHB Category not available on GeM for the text string uploaded by the buyer **Searched String**: TOM20 / TOMM20 Cleaning Duster (V3), Tower Ladder (V2), Muffle/Box Furnace (V2), Two Way Valve, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags), Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Laboratory Deep Freezer (Upto -20°C Degree), Digital pH Meter, Online UPS (>10 KVA) With Battery, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932 **Searched String**: DRP1 / DNM1L Nitrile Coated/Nitrile Hand Gloves (V2), Deltamethrin 1.25% (Ultra Low Volume) (V3) Conforming to IS 15227, Laboratory Hot Air Oven (V2), Deltamethrin ULV (V2) Conforming to IS 15227, Muffle/Box Furnace (V2), Socket Reducing confirming to IS 1239 (Part 2), Biosafety Cabinet (V2), Deltamethrin Flowable (F) (V2) Conforming to IS 14411, Lyophilizer, Towel Hand Cotton Turkish (IAF) **Searched String**: ?H2AX / phospho-H2AX (Ser139) Biosafety Cabinet (V2), clinical cabinets, Desk and Bench Set for Classroom/Training Area, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cotton Towelling And Towels Conforming To IS 7056 (V4), water baths, Bunk Beds conforming to IS 17636, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) **Searched String**: ATM ATM Universal testing machine, Water Vending Machine / Water ATM Machine, ATM (Air Traffic Management) Automation System (AAI), Drinking Water ATM / Water Vending Machine (Version 2), Health Kiosk, Atmospheric Water Generator, Small UAV for High Altitude as per MHA QR **Searched String**: ATR FTIR MID and NEAR IR DUAL RANGE WITH ATR, Atropine Ophthalmic Solution, Atropine, Atrazine Wettable Powder (V2) Conforming To IS 12931, Atrazine 50% Wettable Powder (V3) Conforming To IS 12931, Atrazine Crm(V2), Atropine Ointment (V2), Atropine Drops (V2), Atracurium

बिड विवरण/Bid Details	Injection (V2), Mesotrione 2.27% + Atrazine 22.7% SC (Suspension Concentrate)
	Searched String: Phospho-CHK1 (Ser345) Phosphonobutane Tricarboxylic Acid (PBTC), Nitrile Coated/Nitrile Hand Gloves (V2), Phosphorus pentoxide, Phosphate Rich Organic Manure (V3) Conforming to IS 18146, PHOSPHOMOLYBDIC ACID, Biosafety Cabinet (V2), HYDRO ETHYLIDENE DI PHOSPHONIC ACID (HEDP) for ONGC, Peak Flow Meter - Medical (V2), Phosphoric acid, food grade as per IS:10508, Lyophilizer **Searched String**: PARP1 / cleaved PARP1 Nitrile Coated/Nitrile Hand Gloves (V2), Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Biosafety Cabinet (V2), Signal/ Triad Cable, Lyophilizer, CEFOPERAZONE + SULBACTAM, Towel Hand Cotton Turkish (IAF), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Plastic Pouches, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: POLG Category not available on GeM for the text string uploaded by the buyer **Searched String**: PINK1 Nitrile Coated/Nitrile Hand Gloves (V2), Antifreeze Coolant as per IS 5759, Biosafety Cabinet (V2), Markers and Highlighters, Lyophilizer, Towel Hand Cotton Turkish (IAF), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Plastic Pouches, Cotton Towelling And Towels Conforming To IS 7056 (V4), BOD Incubator **Searched String**: Parkin / PRKN AI Traffic and Vehicle Video Analytics Software, Vehicle Lift, Modular Car / Vehicle Parking Shed **Searched String**: Phospho-ubiquitin (Ser65) Phosphonobutane Tricarboxylic Acid (PBTC), Interactive Panels with CPU, Phosphorus pentoxide, Phosphate Rich Organic Manure (V3) Conforming to IS 18146, PHOSPHOMOLYBDIC ACID, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, HYDRO ETHYLIDENE DI PHOSPHONIC ACID (HEDP) for ONGC, Line Interactive UPS with AVR (V2), Phosphoric acid, food grade as per IS:10508, Endotracheal Tube - Sterile (Single Use) **Searched String**: LC3B / MAP1LC3B Nitrile Coated/Nitrile Hand Gloves (V2), Locking Compression Plates (V2), Entry and Mid Level Desktop Computer, High End Desktop Computer, Interactive Panels with CPU, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Biosafety Cabinet (V2), Garden Bench, Sofa (V3), Lyophilizer **Searched String**: SQSTM1 / p62 Nitrile Coated/Nitrile Hand Gloves (V2), Biosafety Cabinet (V2), Lyophilizer, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Towel Hand Cotton

बिड विवरण / Bid Details	Turkish (IAF), Potato Peeler, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Signal/ Triad Cable,
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Plastic Pouches, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: BNIP3L / NIX Laboratory Hot Air Oven (V2), Field Hockey Balls, High End Desktop Computer, Field Hockey Sticks as per IS 829, Interactive Panels with CPU, Combat Uniform Digital Print for Male (Defence), Entry and Mid Level Desktop Computer, Digital Grounding System with Equipment Protection, Muffle/Box Furnace (V2), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2) **Searched String**: ATF4 XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), OTR Tyres (V2), Cotton Towelling And Towels Conforming To IS 7056 (V4), Violin, File/Folder (V3), Industrial Safety Nets as per IS 11057, water baths, A3 Size Multifunction Printer (MFP), Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Garden Bench **Searched String**: Phospho-eIF2? (Ser51) Phosphonobutane Tricarboxylic Acid (PBTC), Biosafety Cabinet (V2), Phosphorus pentoxide, Phosphate Rich Organic Manure (V3) Conforming to IS 18146, PHOSPHOMOLYBDIC ACID, Desk and Bench Set for Classroom/Training Area, HYDRO ETHYLIDENE DI PHOSPHONIC ACID (HEDP) for ONGC, Phosphoric acid, food grade as per IS:10508, Sofa (V3), Phosphor Bronze Rod (BHEL) (EM) **Searched String**: CHOP / DDIT3 Domestic egg beater, High End Desktop Computer, Agriculture Implements from Moga - ODOP, Silage Feed, Knives as per IS 16301, Interactive Panels with CPU, Cables, Converters and Adapters, Entry and Mid Level Desktop Computer, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench **Searched String**: DELE1 Nitrile Coated/Nitrile Hand Gloves (V2), Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Biosafety Cabinet (V2), Signal/ Triad Cable, Lyophilizer, CEFOPERAZONE + SULBACTAM, Towel Hand Cotton Turkish (IAF), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Plastic Pouches, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: HRI / EIF2AK1 Nitrile Coated/Nitrile Hand Gloves (V2), Fog or Mist Generators, Biosafety Cabinet (V2), Cutting Oil, Soluble as per IS 1115, Desk and Bench Set for Classroom/Training Area, Steel Porta Cabin, Sofa (V3), Sit Up Board - Outdoor Gym Equipment, Lyophilizer, Theft Proof Rifle Racks **Searched String**: OMA1 Nitrile Coated/Nitrile Hand Gloves (V2), Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS

बिड विवरण/Bid Details	10654, Biosafety Cabinet (V2), Signal/ Triad Cable, Lyophilizer, CEFOPERAZONE + SULBACTAM, Towel Hand Cotton Turkish (IAF), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Plastic Pouches, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: Cytochrome c / CYCS Mapleson C Circuit (V2), Muffle/Box Furnace (V2), UV - C Disinfection System (V2), E C DINGHY (Sailing Boat), Stainless Steel Dining Table With Fixed Chair, B-COMPLEX+VITAMIN C & ZINC, Benchtop Thermocouple Calibration Furnace (High Temperature Thermocouple Calibration Furnace)/Portable Calibration Furnace, Oil C - 70-Defence (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), UV-C Disinfection Wand Torch **Searched String**: BAX Category not available on GeM for the text string uploaded by the buyer **Searched String**: BCL-2 2-2-BIPYRIDYL, Biosafety Cabinet (V2), 2-Phenoxyethanol, 2 - Nitrobenzaldehyde, Desk and Bench Set for Classroom/Training Area, 2-Naphthol, Agricultural Trailer Complying to AIS 112, 2-Chlorobenzaldehyde, Sofa (V3), 5-5 Dithiobis -2-2 Nitrobenzoic Acid **Searched String**: Cleaved caspase-3 (3-Aminopropyl) triethoxysilane, High End Desktop Computer, Omega 3 Capsules, 1, 1, 3 - Triethoxybutane, Interactive Panels with CPU, 3 T MRI Machine, Entry and Mid Level Desktop Computer, Layer 3 Access Switch (V2), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Digital Grounding Device 3 Phase **Searched String**: Cleaved PARP1 Nitrile Coated/Nitrile Hand Gloves (V2), Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Biosafety Cabinet (V2), Signal/ Triad Cable, Lyophilizer, CEFOPERAZONE + SULBACTAM, Towel Hand Cotton Turkish (IAF), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Plastic Pouches, Cotton Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: BIM / BCL2L11 Bimatoprost Drops (V2), Laboratory Hot Air Oven (V2), Dial Type Bimetallic Temperature Gauge / Thermometer as per EN 13190, Locking Compression Plates (V2), Designing Software (V3), Muffle/Box Furnace (V2), Design Software, Digital Motor Protection Relays, Desk and Bench Set for Classroom/Training Area, Snow Boots (Defence) **Searched String**: DNMT1 Nitrile Coated/Nitrile Hand Gloves (V2), Sterile Single-Use Hypodermic Needles for Human Use Conforming to IS 10654, Biosafety Cabinet (V2), Signal/ Triad Cable, Lyophilizer, CEFOPERAZONE + SULBACTAM, Towel Hand Cotton Turkish (IAF), Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Plastic Pouches, Cotton

बिड विवरण/Bid Details	Towelling And Towels Conforming To IS 7056 (V4) **Searched String**: TET2 Biosafety Cabinet (V2), Desk and Bench Set for Classroom/Training Area, Intubation Stylets (V2), Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cotton Towelling And Towels Conforming To IS 7056 (V4), water baths, Bunk Beds conforming to IS 17636, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Single Row Deep Groove Ball Bearing (Without Flange Outer Ring) as per IS 6455 **Searched String**: SIRT3 High End Desktop Computer, Cables, Converters and Adapters, Interactive Panels with CPU, Entry and Mid Level Desktop Computer, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Electronic Weighing Scales, Portable Fire Extinguishers (V3) ISI Marked to IS 15683 **Searched String**: SIRT5 File/Folder (V3), Inverter (V2), All in One PC (V2), High End Desktop Computer, Entry and Mid Level Desktop Computer, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Endotracheal Tube - Sterile (Single Use), Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Nitrile Coated/Nitrile Hand Gloves (V2), Fixed Computer Workstation (V2) **Searched String**: Histone H3K27me3 High End Desktop Computer, Blood Collection Tube, Interactive Panels with CPU, Telescopic manipulator, Entry and Mid Level Desktop Computer, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, Sofa (V3), Muffle Furnace, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1) **Searched String**: Histone H3K27ac High End Desktop Computer, Blood Collection Tube, Interactive Panels with CPU, Reciprocal Shakers - Mechanical Shaker Machine with Timer, Entry and Mid Level Desktop Computer, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Garden Bench, Sofa (V3), Muffle Furnace, Towel Hand Cotton Turkish (IAF)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	• Human Identification- DNA Kit : Autosomal Mini STR (Forensic Use) • Biochemistry Reagent Kit for Human Samples • Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others
बीओक्यू शीर्षक /BOQ Title	LABORATORY REAGENTS
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)	4 Lakh (s)

बिड विवरण/Bid Details	
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	3 Year (s)
टर्नओवर पात्रता मानदंड/Turnover eligibility criteria	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	Yes
रिवर्स नीलामी योग्यता नियम/RA Qualification Rule	H1-Highest Priced Bid Elimination
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	TFAM
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	DPIIT
सीए अनुमोदन संख्या/CA Approval Number	P-45021/2/2017-PP (BE-II) - Part (4) Vol.II
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	08-07-2025
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	Procurement is of scientific consumables by scientific research Institute having estimated cost of individual item is less than Rs. 50 Lakh

Competent Authority Approval for not opting Make In India Preference : View Document

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	Tfam	1
Schedule 2	Oxphos Cocktail	1
Schedule 3	Cox Iv	1
Schedule 4	Sdhb	1
Schedule 5	Tom20	1
Schedule 6	Drp1	1
Schedule 7	Yh2ax	1
Schedule 8	Atm	1
Schedule 9	Atr	1
Schedule 10	Phospho-chk1	1
Schedule 11	Parp1	1
Schedule 12	Polg	1
Schedule 13	Pink1	1
Schedule 14	Parkin	1
Schedule 15	Phospho-ubiquitin	1
Schedule 16	Lc3b	1
Schedule 17	Sqstm1	1
Schedule 18	Bnip3l	1

Schedule 19	Atf4	1
Schedule 20	Phospho-eif2a	1
Schedule 21	Chop	1
Schedule 22	Dele1	1
Schedule 23	Hri	1
Schedule 24	Oma1	1
Schedule 25	Cytochrome	1
Schedule 26	Bax	1
Schedule 27	Bcl-2	1
Schedule 28	Cleaved Caspase-3	1
Schedule 29	Cleaved Parp1	1
Schedule 30	Bim	1
Schedule 31	Dnmt1	1
Schedule 32	Tet2	1
Schedule 33	Sirt3	1
Schedule 34	Sirt5	1
Schedule 35	Histone H3k27me3	1
Schedule 36	Histone H3k27ac	1

TFAM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

OXPHOS Cocktail

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

COX IV

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

SDHB

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

TOM20

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

DRP1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

YH2AX

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

ATM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

ATR

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Phospho-CHK1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File

BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

PARP1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

POLG

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

PINK1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Parkin

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Phospho-ubiquitin

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

LC3B

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

SQSTM1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

BNIP3L

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

ATF4

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Phospho-eIF2a

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

CHOP

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

DELE1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

HRI

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

OMA1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Cytochrome

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

BAX

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

BCL-2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Cleaved Caspase-3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Cleaved PARP1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

BIM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

DNMT1

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

TET2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

SIRT3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

SIRT5

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Histone H3K27me3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

Histone H3K27ac

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Mohd Shahid Khan	462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030	1	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. **Generic**

   Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3. **Generic**

   Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Generic**

   Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

6. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1. 100% payment shall be made by ICMR-NIREH, Bhopal only after the satisfactory receipt of items in good condition and submission of invoice.

   2. All the penalties/ fine/ interest (if applicable) shall be settled before making the payments. Service Provi der shall not have any objection on the same.

   3. Payment shall be made through bank transfer only, in no circumstance cash/cheque payment shall be made.

   4. Any foreign certification mentioned in the technical specifications, if applicable, shall not be considered mandatory. Bidders may, in lieu thereof, submit equivalent Indian standards or certifications. In this regard , the Additional Terms and Conditions (ATC) specified by the buyer shall prevail over the technical specifica tions.

   .

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---