

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|--|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 27-01-2026 16:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 27-01-2026 16:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 155 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Health And Family Welfare |
| विभाग का नाम/Department Name | Department Of Health Research |
| संगठन का नाम/Organisation Name | Indian Council Of Medical Research (icmr) |
| कार्यालय का नाम/Office Name | Bhopal |
| कुल मात्रा/Total Quantity | 22 |
| वस्तु श्रेणी /Item Category | Ammonium nitrate, Extrapure , Sodium thiocyanate, EP , Hydrochloric acid , Potassium dihydrogen phosphate, EP , Potassium chloride, EP , Iodine solution 0.01 M , Benedict's solution , Sodium sulphate, EP , Sodium bicarbonate, EP , Urea, EP , Uric acid sodium salt , Calcium chloride dihydrate, EP , Potassium citrate, EP , Ferrous sulphate, EP , Aluminium chloride, EP , Lactic acid sodium salt, EP , Hexane, EP , Octanoic acid , Ethyl acetate, EP , L Menthol, EP , Glass fiber filters, Diameter 25 mm |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS | Ammonium nitrate, Extrapure, Sodium thiocyanate, EP, Hydrochloric acid 10%, Potassium dihydrogen phosphate, EP, Potassium chloride, EP, Iodine solution 0.01 M, Benedict's solution, quantitative, Sodium sulphate, EP, Sodium bicarbonate, EP, Urea, EP, Uric acid sodium salt, Calcium chloride dihydrate, EP, Potassium citrate, EP, Ferrous sulphate 98.5%, EP, Aluminium chloride, 98%, EP, Lactic acid sodium salt, EP, Hexane 85%, Extra Pure, Octanoic acid, 99%, Ethyl acetate, EP, L Menthol EP, Glass fiber filters, Diameter 25 mm |
| | <p>Searched String: Ammonium nitrate, Extrapure</p> <p>Ceric Ammonium Nitrate, Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Blasting Grade Ammonium Nitrate, Aluminium nitrate, ECO - Friendly Disinfectant (Hydrogen Peroxide + Silver Nitrate), Barium Nitrate, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Mercuric Nitrate, Ammonia solution 25%, lanthanum nitrate</p> <p>Searched String: Sodium thiocyanate, EP</p> <p>Ammonium thiocyanate, Flame Photometer, Potassium</p> |

| | |
|------------------------------|---|
| बिड विवरण/Bid Details | <p>Thiocyanate, Guanidine thiocyanate, Blood Collection Tube, Benzilic Acid-EP, EMG NCV EP Machine, Extreme Pressure Gear Oil as per IS 1118, High Performance EP Lubricant (ONGC), Grease, Lithium Base, EP - 2 (BEML)</p> |
| | <p>Searched String: Hydrochloric acid 10%</p> <p>HYDROCHLORIC ACID PICKLING INHIBITOR, water baths, Hydrochloric Acid as per IS 265, Hydrochloric Acid for Well Stimulation for (ONGC), Online UPS (V2), Hydrochloric Acid (V3) Conforming to IS 265, Hydrochloric Acid in Tankers (V2) as per IS 265, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Acrylic acid, Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder)</p> |
| | <p>Searched String: Potassium dihydrogen phosphate, EP</p> <p>Potassium Dihydrogen Orthophosphate, Sodium dihydrogen orthophosphate dihydrate, Epoxy Based Zinc Phosphate Primer (two-pack) as per IS 13238</p> |
| | <p>Searched String: Potassium chloride, EP</p> <p>Potassium Chloride Injection, Suction Catheters (V2), Potassium Chloride, Technical - IS 4150, Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride, Flame Photometer, Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride Powder for Oral Solution (V2), Laboratory Desiccator (V2), Potassium Chloride, Technical (V2) Conforming to IS 4150, Yoga Mats, Benzilic Acid-EP</p> |
| | <p>Searched String: Iodine solution 0.01 M</p> <p>POVIDONE IODINE SOLUTION, digital conductivity meter, Acetaldehyde solution, Karl Fischer Reagent, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Electronic Weighing Scales, Micro/Semi-Micro/Analytical weighing balance, Online UPS (V2), Tissue Homogenizer, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1)</p> |
| | <p>Searched String: Benedict's solution, quantitative</p> <p>Benedict'S Solution, Polyester Webbing Slings, Polyester Round Slings, Scrub Suit, Bio - Medical Waste Collection Bags (Biohazard Bags), Metal Shelving Racks (Adjustable Type) confirming to IS 1883 (V2), Patient Gown</p> |
| | <p>Searched String: Sodium sulphate, EP</p> <p>Sodium Lauryl Sulphate-IS 3986, Flame Photometer, Benzilic Acid-EP, Aluminium Ammonium Sulphate Dodecahydrate, EMG NCV EP Machine, Blood Collection Tube, Ammonium Sulphate, Extreme Pressure Gear Oil as per IS 1118, Cadmium Sulphate, Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1)</p> |
| | <p>Searched String: Sodium bicarbonate, EP</p> <p>SODIUM BICARBONATE, Flame Photometer, Sodium Bicarbonate (ONGC), Sodium Bicarbonate as per IS 2124, Blood Collection Tube, Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride, Extreme Pressure Gear Oil as per IS 1118, Sodium Bicarbonate (V2) Conforming to IS 2124, Sodium Hypochlorite Solution (V2)</p> |

| | |
|---|--|
| बिड विवरण/Bid Details | as per IS 11673 (Part 1), Polyethylene Glycol + Potassium Chloride + Sodium Bicarbonate + Sodium Chloride Powder for Oral Solution (V2) |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Urea, EP Urea Phosphate, Extreme Pressure Gear Oil as per IS 1118, Benzilic Acid-EP, Nano Urea (liquid) 16, Gear Lubricants, Multipurpose (V2) as per IS 1118, EMG NCV EP Machine, Urea Conforming to IS 1781, Biochemistry Reagent Kit (Open System), High Performance EP Lubricant (ONGC), Biochemistry Reagent Kit for Human Samples |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Uric acid sodium salt 1-Heptanesulphonic acid sodium salt anhydrous, Biochemistry Reagent Kit for Human Samples, Sodium Oxalate Salt, Sodium diethyldithiocarbamate trihydrate, Ammonium acetate, 1-Butanesulphonic Acid Sodium Salt 98% (Sodium -1-Butane Sulphonate), Sodium perchlorate monohydrate, Biochemistry Reagent Kit (Open System), Sodium Dodecyl Sulfate (SDS), Chromotropic acid disodium salt dihydrate |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Calcium chloride dihydrate, EP Copper (II) chloride dihydrate or Cupric chloride dihydrate, Calcium Chloride (ONGC), Calcium Chloride- IS:1314, Calcium Chloride (V2) Conforming to IS 1314, Coagulation Analyzer Reagents, Biochemistry Reagent Kit for Human Samples |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Potassium citrate, EP Potassium Citrate, Flame Photometer, Benzilic Acid-EP, Potassium Persulfate (Potassium Peroxodisulfate), Blood Collection Tube, Disodium Citrate Sesquihydrate, Diethylcarbamazine (DEC) Tablet, Deoxycholate Citrate Agar, Extreme Pressure Gear Oil as per IS 1118, Simmons citrate agar |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Ferrous sulphate 98.5%, EP Ammonium Ferrous Sulphate, Ammonium Sulphate, Ammonium Ferrous Sulphate hexahydrate, Aluminium Ammonium Sulphate Dodecahydrate, Potassium Sulphate, Gear Lubricants, Multipurpose (V2) as per IS 1118, Ferrous Sulphate, Heptahydrate Conforming to IS 262, Silver sulfate, Nickel sulphate, Magnesium Sulphate (Epsom Salt) as per IS 2730 |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Aluminium chloride, 98%, EP p-Toluene Sulphonyl Chloride, Ferric chloride Anhydrous, Poly Aluminium Chloride (ONGC), Cobalt(II) chloride, Poly Aluminium Chloride (PAC) - MRPL, Aluminium Ammonium Sulphate Dodecahydrate, Lead(II) Chloride Anhydrous, ALUMINIUM METAL FINE POWDER, Mercuric Chloride, Polythene Sealing Machine (V2) |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Searched String: Lactic acid sodium salt, EP Benzilic Acid-EP, Ammonium acetate, 1-Heptanesulphonic acid sodium salt anhydrous, Sodium Oxalate Salt, Sodium Dodecyl Sulfate (SDS), Sodium diethyldithiocarbamate trihydrate, 1-Butanesulphonic Acid Sodium Salt 98% (Sodium -1-Butane Sulphonate), Ammonium acetate AR |

| | |
|---|--|
| बिड विवरण/Bid Details | Grade, Sodium perchlorate monohydrate, Murexide or Ammonium Purpurate |
| | <p>Searched String: Hexane 85%, Extra Pure</p> <p>Sodium fluoride, Extra Pure and AR/ACS, Mercuric Oxide, Ammonium carbonate, Ammonium acetate, Sucrose, Formic acid Anhydrous, Glycine, Tris(hydroxymethyl)aminomethane, Barium Nitrate, Ammonium bicarbonate</p> <p>Searched String: Octanoic acid, 99%</p> <p>Formic Acid as per IS:9908, Stationary Valve Regulated Lead Acid Batteries (V2) as per IS 15549, Dextrose, Sodium Dodecyl Sulfate (SDS), Veratric Acid (3,4-Dimethoxybenzoic Acid), Stationary Valve Regulated Lead Acid Batteries As Per IS 15549, Humic Acid and Fulvic Acid, Methyl acetate, Acid Orange, Lead Acid starter Batteries</p> |
| | <p>Searched String: Ethyl acetate, EP</p> <p>Ethyl Acetate, Yoga Mats, ETHYL ACETATE- ONGC, Ethyl Vinyl Acetate Foam Sheet, Extreme Pressure Gear Oil as per IS 1118, Benzilic Acid-EP, GLACIAL ACETIC ACID, SODIUM ACETATE, Domestic Wiper/Wiper Mopper (V3), Ammonium acetate</p> <p>Searched String: L Menthol EP</p> <p>Benzilic Acid-EP, Ultra low temperature laboratory deep freezer, EMG NCV EP Machine, Diclofenac + Linseed Oil + Menthol + Methyl Salicylate Topical Forms (V2), Bromhexine + Guaifenesin + Menthol + Terbutaline, T - Shirt (V2), High Performance EP Lubricant (ONGC), Diphenhydramine Hydrochloride + Ammonium Chloride + Sodium Citrate + Menthol, Dry Erase Writing Boards (V3), Ammonium Chloride + Bromhexine + Dextromethorphan + Menthol</p> |
| | <p>Searched String: Glass fiber filters, Diameter 25 mm</p> <p>Packaging Tape, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Ceramic Fiber Rope, Electronic Baby Weighing Scale - RBSK, Parallel Bar - Outdoor Gym Equipment, Cellulose Nitrate Filter Paper (V2), Polyethylene Pipes for Water Supply, Galvanized Steel Chain Link Fence Fabric (V2) conforming to IS 2721, Steel Wire Ropes for General Engineering Purpose (V2) Conforming to IS 2266, Laparoscopic Scissors</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> Aluminium nitrate Sodium Bicarbonate (ONGC) |
| बीओव्यू शीर्षक /BOQ Title | LAB Chemical |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service | 3 Year (s) |
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover | Yes Complete |

| बिड विवरण/Bid Details | |
|--|---|
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover | Yes Complete |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 1 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन /Past Performance | 50 % |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | No |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Ammonium nitrate, Extrapure |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| अनुमानित बिड मूल्य /Estimated Bid Value | 29840 |
| मूल्यांकन पद्धति/Evaluation Method | Item wise evaluation |
| वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required | Yes |
| मध्यस्थता खंड/Arbitration Clause | No |

| बिड विवरण/Bid Details | |
|---------------------------|----|
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------|----|
| आवश्यकता/Required | No |
|-------------------|----|

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

| | |
|--|----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |
|--|----|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|--|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within $L1+X\%$ | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.

5. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

6. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

7. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / Evaluation Schedules | अनुमानित मूल्य / Estimated Value | वस्तु/श्रेणी / Item/Category | मात्रा / Quantity |
|--|---|-------------------------------------|--------------------------|
| Schedule 1 | 1000 | Ammonium Nitrate, Extrapure | 1 |
| Schedule 2 | 800 | Sodium Thiocyanate, Ep | 1 |
| Schedule 3 | 500 | Hydrochloric Acid | 1 |
| Schedule 4 | 850 | Potassium Dihydrogen Phosphate, Ep | 1 |
| Schedule 5 | 400 | Potassium Chloride, Ep | 1 |
| Schedule 6 | 500 | Iodine Solution 0.01 M | 1 |
| Schedule 7 | 650 | Benedicts Solution | 1 |
| Schedule 8 | 300 | Sodium Sulphate, Ep | 1 |

| | | | |
|-------------|-------|-------------------------------------|---|
| Schedule 9 | 300 | Sodium Bicarbonate, Ep | 1 |
| Schedule 10 | 400 | Urea, Ep | 1 |
| Schedule 11 | 1600 | Uric Acid Sodium Salt | 1 |
| Schedule 12 | 360 | Calcium Chloride Dihydrate, Ep | 1 |
| Schedule 13 | 800 | Potassium Citrate, Ep | 1 |
| Schedule 14 | 280 | Ferrous Sulphate, Ep | 1 |
| Schedule 15 | 220 | Aluminium Chloride, Ep | 1 |
| Schedule 16 | 6200 | Lactic Acid Sodium Salt, Ep | 1 |
| Schedule 17 | 430 | Hexane, Ep | 1 |
| Schedule 18 | 800 | Octanoic Acid | 1 |
| Schedule 19 | 450 | Ethyl Acetate, Ep | 1 |
| Schedule 20 | 1000 | L Menthol, Ep | 1 |
| Schedule 21 | 12000 | Glass Fiber Filters, Diameter 25 Mm | 2 |

Ammonium Nitrate, Extrapure

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|--|--|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Sodium Thiocyanate, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Hydrochloric Acid

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Potassium Dihydrogen Phosphate, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
|-------------------------------|---------------------------|

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Potassium Chloride, EP**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Iodine Solution 0.01 M**तकनीकी विशिष्टियाँ /Technical Specifications****Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Benedicts Solution

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Sodium Sulphate, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Sodium Bicarbonate, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Urea, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Uric Acid Sodium Salt

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Calcium Chloride Dihydrate, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Potassium Citrate, EP**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Ferrous Sulphate, EP**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Aluminium Chloride, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Lactic Acid Sodium Salt, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Hexane, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Octanoic Acid

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Ethyl Acetate, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

L-Menthol, EP

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

Glass Fiber Filters, Diameter 25 Mm

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---|---|------------------|---------------------------------|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 2 | 30 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid

in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Generic**

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

6. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. 100% payment shall be made by ICMR-NIREH, Bhopal only after the satisfactory receipt of items in good condition and submission of invoice.
2. All the penalties/ fine/ interest (if applicable) shall be settled before making the payments. Service Provider shall not have any objection on the same.
3. Payment shall be made through bank transfer only, in no circumstance cash/ cheque payment shall be made.

.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस नियिदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---