बिड संख्या/Bid Number: GEM/2026/B/8099751

दिनांक /Dated: 05-11-2026

## बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 26-11-2026 11:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 27-11-2026 11:00:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 155 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Health And Family Welfare |
| विभाग का नाम/Department Name | Department Of Health Research |
| संगठन का नाम/Organisation Name | Indian Council Of Medical Research (icmr) |
| कार्यालय का नाम/Office Name | Bhopal |
| शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal | HOD Email id :director.nireh@icmr.gov.in<br>Buyer Email id: rishav.shukla@icmr.gov.in |
| कुल मात्रा/Total Quantity | 1515 |
| वस्तु श्रेणी /Item Category | Diesel particulate matter, NIST2975 , Urban dust, NIST1649B , Isoflurane , Autoclave Indicator, 50 metres , Cryo Gloves , Gloves Dispenser, 3 places , Pipette bulb , Cryo tags , Sodium Hypochlorite, 5 Litres , Beaker, 1 Litres , Autoclavable bags, pack of 100 , Aluminium Foil, 1 Kgs , Utility tray , Ice bucket , 20 uL Rack Filter Tips, pack of 960 tips , 300 uL Rack Filter Tips, pack of 960 tips , 200 uL Rack Filter Tips, pack of 960 tips , 1000 uL Rack Filter Tips, pack of 960 tips , Trypan Blue, 25gm , Ethanol, 500ml , Phosphate Buffered Saline , 10 percent Formalin , 10X TE buffer, 100ml , BCA protein assay kit , Self Standing tubes , Real Time PCR kit, 100rxn , RNA later , RNA Extraction kit, 500 samples , Powder funnel , Ethanol, 500ml, molecular grade , Penicillin Streptomycin |
| GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS | Diesel particulate matter, NIST2975, Urban dust, NIST1649B, Isoflurane, Autoclave Indicator, Cryo Gloves, Gloves Dispenser, Pipette bulb, Cryo tags, Sodium Hypochlorite, Beaker, Autoclavable bags, Aluminium Foil, Utility tray, Ice bucket, 20 L Rack Filter Tips, 300 L Rack Filter Tips , 200 L Rack Filter Tips, 1000 L Rack Filter Tips, Trypan Blue, Ethanol, Phosphate Buffered Saline, 10 percent Formalin, 10X TE buffer, BCA protein assay kit, Self Standing tubes, Real Time PCR kit, RNA later, RNA Extraction kit, Powder funnel, Ethanol, molecular grade, Penicillin Streptomycin |
| | **Searched String**: Diesel particulate matter, NIST2975<br>Category not available on GeM for the text string uploaded |

| बिड विवरण/Bid Details | by the buyer |
| --- | --- |
| | **Searched String**: Urban dust, NIST1649B<br><br>dust pans, Biosafety Cabinet (V2), Chemical Dust Suppresser, Truck Mounted Fog Cannon / Anti Smog Gun / Dust Suppression System, Cypermethrin 1% Dust, Endotracheal Tube - Sterile (Single Use), Saw Dust (ONGC), Refuse Compactor (V2), Respirable Dust Sampler (V2) Conforming To IS 5182, Laboratory Incubators<br><br>**Searched String**: Isoflurane<br><br>Isoflurane Liquid for Inhalation<br><br>**Searched String**: Autoclave Indicator<br><br>Vertical Autoclave, Horizontal Autoclave, Dental Autoclave, THICKNESS MEASURING GAUGE, Autoclave (Horizontal), Medical Training kit with Human mannequins for medical education or training, Vertical Autoclave (FSSAI), Scrub Suit, Hydrothermal Autoclave Reactor, Table Top Autoclave (V2)<br><br>**Searched String**: Cryo Gloves<br><br>Freezing / Cryo Box, Nitrile Coated/Nitrile Hand Gloves (V2), Freezing / Cryo Box (V2), Gloves -Handicraft, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Cricket gloves, Laboratory Refrigerator (V2), Taekwondo Gloves, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1), Shooting gloves<br><br>**Searched String**: Gloves Dispenser<br><br>Soup Dispenser, Nitrile Coated/Nitrile Hand Gloves (V2), Napkin Dispenser, Air Freshener liquid (V3), CNG Dispenser, Single Use Sterile Rubber Surgical Gloves Conforming to IS 13422, Bottle top dispenser, Liquid Soap Dispenser (V2), Touchless Sanitizer Dispenser, Single Use Medical Examination Gloves Conforming to IS 15354 (Part 1)<br><br>**Searched String**: Pipette bulb<br><br>Motorized Pipette Controller, Manual Single Channel Air Displacement Pipetters Or Micropipette (V2), Manual Single Channel Air Displacement Pipetters Or Micropipette (V3), Universal Pipette Tips (V3), Flower Bulb/Seeds, Universal Pipette Tips (V2), ECG Bulb Electrode, Serological Pipettes and Graduated Pipettes as per IS 4364, Self Ballasted LED Lamps (LED Bulb) Conforming to IS 16102 (Part 2) (V3), Volumetric Pipettes as per IS 1117<br><br>**Searched String**: Cryo tags<br><br>Freezing / Cryo Box, Freezing / Cryo Box (V2), Tags For Files (V3) Conforming to IS 8499, Luggage Tags-Handicraft, Laboratory Refrigerator (V2), Luggage Tags (Handicraft) (V2), Plastic Grip Seal, Ultra low temperature laboratory deep freezer, Luggage Tags-Handicraft (Bamboo), Ear TAG Applicator (For Animal)<br><br>**Searched String**: Sodium Hypochlorite<br><br>Sodium Hypochlorite (Industrial Grade) - ONGC, Blood Collection Tube, Sodium Hypochlorite Solution (V3) Conforming To Is 11673, Sodium Hypochlorite Solution for Water Maker - ONGC, Flame Photometer, Sodium |

| बिड विवरण/Bid Details | Hypochlorite Solution (V2) as per IS 11673 (Part 1), Sodium Hypochlorite Solution for Bulk Supply (V2) as per IS 11673 (Part 1), High Pressure Sodium Vapour Lamps (HPSV Lamps) Conforming To IS 9974, Calcium Hypochlorite Granules (65 - 70 %) (V3), SODIUM ACETATE<br><br>**Searched String**: Beaker<br><br>Laboratory Beakers (V3) Confirming to IS 2619, Teflon Beaker with Lid, Stainless Steel Jugs (Defence)<br><br>**Searched String**: Autoclavable bags<br><br>Autoclavable Reusable Veterinary Syringes, Compostable Bio-Medical Waste Collection Bags (Biohazard Bags) (V3), Leno Bags, Vacuum Filtration Assembly, Casualty Bags, Horizontal Autoclave, Handcrafted Hand Bags and Sling Bags, Patient Gown, Office Bags (V2), Vertical Autoclave<br><br>**Searched String**: Aluminium Foil<br><br>Aluminum Foil Containers, magnetic stirrers, Aluminium and Aluminium Alloy Bare Foil for Food Packaging (V3) Marked to IS 15392, Aluminium and Aluminium Alloy Bare Foil for Food Packaging (V2) as per IS 15392, Aluminum Foil Wrapping Rolls & Sheets-IS:8970, Platform Step Ladder (V2), PVC Insulated Aluminium Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor ISI Marked To IS 694, High Grade Pure Aluminium Foil -BHEL, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011<br><br>**Searched String**: Utility tray<br><br>Utility Vehicle, Executive Table (V4), Utility Vehicles (V2), resuscitation crash cart console for hospitals, Baby Tray, Passenger Car, Oil tray, Electronic Baby Weighing Scale - RBSK, Root Trainers Tray / Germination Tray (Block Type), Cabinet Dryer (V2)<br><br>**Searched String**: Ice bucket<br><br>ice packs, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Stainless Steel Bucket (V3) conforming to IS 4768, Plastic Ice Box (V2), Kick Bucket (V2), HDPE Bucket (V2) Conforming to IS 3730, Ice Piton'F' (Defence), Stainless Steel Bucket (Defence), Ice Lined Refrigerator (V2), Ice Cube Machine<br><br>**Searched String**: 20 L Rack Filter Tips<br><br>Ergonomically Designed Backpack 70 L, Muffle/Box Furnace (V2), Filter Sand, Laboratory Deep Freezer (Upto -20°C Degree), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Theft Proof Rifle Racks, Filter Cartridge, Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Alkaline water ionizer machine<br><br>**Searched String**: 300 L Rack Filter Tips<br><br>Topramezone 10g/l +Atrazine 300g/l SC (Suspension Concentrate), Muffle/Box Furnace (V2), Topramezone 10g/l + Atrazine 300g/l SC (Suspension Concentrate), Pin Up Notice Board (V2), Dumbbell Rack, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Laboratory Refrigerator (V3), Low Temperature Laboratory Deep |
|---|---|

| बिड विवरण/Bid Details | Freezer (up to-40°C Degree), Laboratory Deep Freezer (Upto -20°C Degree), Laboratory Hot Air Oven (V2) |
|---|---|
| **GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS** | **Searched String**: 200 L Rack Filter Tips<br><br>Laboratory Hot Air Oven (V2), Universal Pipette Tips (V3), Ice Lined Refrigerator (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Muffle/Box Furnace (V2), Low Temperature Laboratory Deep Freezer (up to-40°C Degree), Dumbbell Rack (V3), Ultra Low Temperature Laboratory Deep Freezer (up to -86°C Degree), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Laboratory Refrigerator (V3)<br><br>**Searched String**: 1000 L Rack Filter Tips<br><br>Sulfate Standard Solution, Muffle/Box Furnace (V2), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Ultra low temperature laboratory deep freezer, Laboratory Refrigerator (V3), Metal Shelving Racks (Adjustable Type) conforming To Is 1883 (V2), Low Temperature Laboratory Deep Freezer (up to-40°C Degree), Alkaline water ionizer machine<br><br>**Searched String**: Trypan Blue<br><br>Bromophenol Blue, Curtains (V2), Bromothymol Blue, Blanket (AF Blue) for CAPFs as per MHA Specifications (V3), Prussian Blue, Steel Almirah / Cabinets (V4), Hydroxynaphthol Blue, Cotton Towelling And Towels Conforming To IS 7056 (V4), Bromophenol Blue (V2), Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932<br><br>**Searched String**: Ethanol<br><br>Methyl Di-Ethanol Amine - ONGC, Anhydrous Denatured Ethanol as per IS 15464, Anhydrous Ethanol for use as Blending Component in Motor Gasoline (V2) Conforming to IS 15464, Fuel Dispensing Units, Methyl Di Ethanol Amine (MDEA) (V2), Methyl Di Ethanol Amine (MDEA) (In Kg), Methyl Di Ethanol Amine (MDEA) in tanker<br><br>**Searched String**: Phosphate Buffered Saline<br><br>Saline Stand (V2), CHLOROQUINE PHOSPHATE, Dicalcium Phosphate, Urea Phosphate, Mono Ammonium Phosphate, Adjustable Single Ended Open Jaw Wrench as per IS 6131, Phosphate Solubilizing Bacteria, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Sodium Phosphate Enema, Safety Footwear (V3) ISI marked to IS 15298 (Part 2)<br><br>**Searched String**: 10 percent Formalin<br><br>Metsulfuronmethyl 10%+Chlorimuronethyl 10%WP (Wettable Powder), water baths, Chlorpyrifos 10% GR, PP Plastic Woven Non - Laminated Bags (for Seed Packaging) (V2), Imazethapyr 10% SL, Humidity Chamber, Formaldehyde Solution (V2) as per IS 3321, Humic Acid, Probiotics 10 Billion CFUs Capsules, Nitrile Coated/Nitrile Hand Gloves (V2)<br><br>**Searched String**: 10X TE buffer<br><br>Buffer Capsules, Cleaning Duster (V3), Buffer Tablets, magnifying glass, Buffer Solutions (V2) Conforming to IS |

| बिड विवरण/Bid Details | 15557, Dry Erase Writing Boards (V3), Dilution Buffer for Diagnostic Analyzers, Metallurgical Microscope, Tisab III Solution, File/Folder (V3)<br><br>**Searched String**: BCA protein assay kit<br><br>C-Reactive Protein (CRP) Test Kit - Latex Agglutination Method for Human Samples, Biochemistry Reagent Kit for Human Samples, Line Probe Assay Kit for Second Line Drugs under NTEP, Protein Analyzer Reagents for Human Samples, Line Probe Assay Kit for First Line Drugs under NTEP, Line Probe Assay Reagent Kits under NTEP, Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2), Health Supplements, Nutraceuticals and Food for Special Dietary Use, Line Probe Assay DNA Extraction Kit under National Tuberculosis Elimination Programme (NTEP)<br><br>**Searched String**: Self Standing tubes<br><br>Free standing PARTITION PANEL, Metal Storage Cabinet, Selectorized Standing Calf Raise, Kiosk Displays, Bicycle Tubes-IS: 2415, Endotracheal Tube - Sterile (Single Use), Cycle Rubber Tubes Marked to IS 2415, Centrifuge Tubes (V3), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), microcentrifuge tubes<br><br>**Searched String**: Real Time PCR kit<br><br>Real Time PCR Kits (V2), Real Time PCR Machine, Real Time PCR Machine (V2), Real Time PCR Kit for SARS - CoV - 2 / COVID - 19, Real Time PCR Machine (V3), GNSS RECEIVER FOR REFERENCE STATION, Automated Real Time Micro PCR Machine, PCR Amplification KIT, Nucleic Acid Amplification Test (NAAT) based PCR Diagnostic Kit for Human Samples, NAAT Based PCR Test Kit<br><br>**Searched String**: RNA later<br><br>Viral RNA Extraction Kit, TRIzol Reagent, automated nucleic acid extraction machine, Locking Compression Plates (V2), Nucleic Acid Extraction Kit (Diagnostic Purpose), Nucleic Acid Extraction Kit (For Research Use Only), Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786, Irrigation Equipment – Polyethylene Pipes for Irrigation Laterals conforming to IS 12786, Deception Technology Platform Software, Ribonuclease A<br><br>**Searched String**: RNA Extraction kit<br><br>Viral RNA Extraction Kit, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Nucleic Acid Extraction Kit (Diagnostic Purpose), Nucleic Acid Extraction Kit (For Research Use Only), Biochemistry Reagent Kit for Human Samples, automated nucleic acid extraction machine, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), TRIzol Reagent, Forensic DNA Extraction Kit, Digital Trainer Kit<br><br>**Searched String**: Powder funnel<br><br>funnel stand, Garden Bench, Funnel (V2), Funnel Plastic, Classroom Stools, Cellulose Powder, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Calamine Powder, Custard powder, Automated tissue processor<br><br>**Searched String**: Ethanol, molecular grade |
|---|---|

| बिड विवरण/Bid Details | Carbon Molecular Sieves, Wooden Podium, Molecular Diagnostic Extraction Kits, Methyl Di-Ethanol Amine - ONGC, Pole Mounted Stainless Steel Dustbin (V2), Rapid Molecular Diagnostics Test Instrument, Tris(hydroxymethyl)aminomethane, Molecular Sieves (V2) Conforming to IS 14211, Suction Catheters (V2), Anhydrous Ethanol for use as Blending Component in Motor Gasoline (V2) Conforming to IS 15464<br><br>**Searched String**: Penicillin Streptomycin<br><br>BENZATHINE PENICILLIN, BENZYL PENICILLIN, Streptomycin Sulphate 90%+ Tetracycline Hydrochloride 10% WW S.P., PENICILLIN V |
|---|---|
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification** | • Laboratory Beakers (V3) Confirming to IS 2619 |
| बीओक्यू शीर्षक /**BOQ Title** | Lab consumables |
| पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)** | 3 Lakh (s) |
| उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service** | 3 Year (s) |
| टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria** | To be verified by the buyer at the time of technical evaluation |
| वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover** | Yes \| Complete |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover** | Yes \| Complete |
| विक्रेता से मांगे गए दस्तावेज़/**Document required from seller** | Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?** | No |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension** | 1 |

| बिड विवरण/Bid Details | |
|---|---|
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 7 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| विगत प्रदर्शन /Past Performance | 50 % |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | Yes |
| रिवर्स नीलामी योग्यता नियम/RA Qualification Rule | H1-Highest Priced Bid Elimination |
| बिड का प्रकार/Type of Bid | Two Packet Bid |
| प्राथमिक उत्पाद श्रेणी/Primary product category | Beaker, 1 Litres |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/Evaluation Method | Item wise evaluation |
| वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required | Yes |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

**ईएमडी विवरण/EMD Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

**ईपीबीजी विवरण /ePBG Detail**

| | |
|---|---|
| आवश्यकता/Required | No |

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

| | |
|---|---|
| एमआईआई खरीद वरीयता/MII Purchase Preference | No |

**एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII**

| | |
|---|---|
| सक्षम प्राधिकारी का नाम/Name of Competent Authority | Additional Secretary to GoI |
| सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority | Additional Secretary to GoI |
| सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority | DPIIT, Ministry of Commerce and Industry |
| सीए अनुमोदन संख्या/CA Approval Number | P-45021/2/2017-PP (BE-II)-Part(4) Vol.II |
| सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date | 08-07-2025 |
| सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority | Cost of each item is less than Rs. 50 Lakh and hence exempted. |

Competent Authority Approval for not opting Make In India Preference : View Document

**एमएसई खरीद वरीयता/MSE Purchase Preference**

| | |
|---|---|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference | 25 |

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product

offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

10. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

i. If number of technically qualified bidders are only 2 or 3.
ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

**मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / **Evaluation Schedules** | वस्तु/श्रेणी / **Item/Category** | मात्रा / **Quantity** |
|---|---|---|
| Schedule 1 | Diesel Particulate Matter, Nist2975 | 2 |
| Schedule 2 | Urban Dust, Nist1649b | 1 |
| Schedule 3 | Isoflurane | 5 |
| Schedule 4 | Autoclave Indicator, 50 Metres | 1 |
| Schedule 5 | Cryo Gloves | 1 |

| | | |
|---|---|---|
| Schedule 6 | Gloves Dispenser, 3 Places | 3 |
| Schedule 7 | Pipette Bulb | 4 |
| Schedule 8 | Cryo Tags | 1000 |
| Schedule 9 | Sodium Hypochlorite, 5 Litres | 4 |
| Schedule 10 | Beaker, 1 Litres | 12 |
| Schedule 11 | Autoclavable Bags, Pack Of 100 | 2 |
| Schedule 12 | Aluminium Foil, 1 Kgs | 5 |
| Schedule 13 | Utility Tray | 1 |
| Schedule 14 | Ice Bucket | 1 |
| Schedule 15 | 20 Ul Rack Filter Tips, Pack Of 960 Tips | 4 |
| Schedule 16 | 300 Ul Rack Filter Tips, Pack Of 960 Tips | 4 |
| Schedule 17 | 200 Ul Rack Filter Tips, Pack Of 960 Tips | 4 |
| Schedule 18 | 1000 Ul Rack Filter Tips, Pack Of 960 Tips | 8 |
| Schedule 19 | Trypan Blue, 25gm | 2 |
| Schedule 20 | Ethanol, 500ml | 5 |
| Schedule 21 | Phosphate Buffered Saline | 1 |
| Schedule 22 | 10 Percent Formalin | 1 |
| Schedule 23 | 10x Te Buffer, 100ml | 2 |
| Schedule 24 | Bca Protein Assay Kit | 1 |
| Schedule 25 | Self Standing Tubes | 400 |
| Schedule 26 | Real Time Pcr Kit, 100rxn | 5 |
| Schedule 27 | Rna Later | 1 |
| Schedule 28 | Rna Extraction Kit, 500 Samples | 1 |
| Schedule 29 | Powder Funnel | 12 |
| Schedule 30 | Ethanol, 500ml, Molecular Grade | 20 |
| Schedule 31 | Penicillin Streptomycin | 2 |

## Diesel Particulate Matter, NIST2975

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 2 | 30 |

## Urban Dust, NIST1649B

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## Isoflurane

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 5 | 30 |

## Autoclave Indicator, 50 Metres

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## Cryo Gloves

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## Gloves Dispenser, 3 Places

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 3 | 30 |

## Pipette Bulb

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 4 | 30 |

## Cryo Tags

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1000 | 30 |

## Sodium Hypochlorite, 5 Litres

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 4 | 30 |

## Beaker, 1 Litres

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 12 | 30 |

## Autoclavable Bags, Pack Of 100

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 2 | 30 |

## Aluminium Foil, 1 Kgs

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 5 | 30 |

## Utility Tray

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## Ice Bucket

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## 20 UL Rack Filter Tips, Pack Of 960 Tips

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 4 | 30 |

## 300 UL Rack Filter Tips, Pack Of 960 Tips

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 4 | 30 |

## 200 UL Rack Filter Tips, Pack Of 960 Tips

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 4 | 30 |

## 1000 UL Rack Filter Tips, Pack Of 960 Tips

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 8 | 30 |

## Trypan Blue, 25gm

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 2 | 30 |

## Ethanol, 500ml

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 5 | 30 |

## Phosphate Buffered Saline

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## 10 Percent Formalin

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## 10X TE Buffer, 100ml

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 2 | 30 |

## BCA Protein Assay Kit

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## Self Standing Tubes

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 400 | 30 |

## Real Time PCR Kit, 100rxn

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 5 | 30 |

## RNA Later

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## RNA Extraction Kit, 500 Samples

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 1 | 30 |

## Powder Funnel

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 12 | 30 |

## Ethanol, 500ml, Molecular Grade

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 20 | 30 |

## Penicillin Streptomycin

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Rishav Shukla | 462030,ICMR-National Institute for Research in Environmental Health Bhopal Bypass Road Bhauri, Bhopal, M.P. 462030 | 2 | 30 |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

2. **Generic**

   Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3. **Generic**

   Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. **Generic**

   **Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

5. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 50% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

6. **Turnover**

   Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

7. **Certificates**

   Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

8. **Buyer Added Bid Specific ATC**

   Buyer Added text based ATC clauses

   1. 100% payment shall be made by ICMR-NIREH, Bhopal only after the satisfactory receipt of items in good condition and submission of invoice.

   2. All the penalties/ fine/ interest (if applicable) shall be settled before making the payments. Service Provider shall not have any objection on the same.

   3. Payment shall be made through bank transfer only, in no circumstance cash/cheque payment shall be made.

   4. It is for general information of Aspirant Manufacturer/ Dealer/ Distributor to submit their representation, if any, on proprietorship of this goods in terms of Rule 166 (i) of GFR, 2017. In case, the product of any other Manufacturer/ Authorized Distributor/ Dealer conforms to the enclosed specifications, they may submit their proposal for the supply of same goods along with the following:- (a) Brochure (b) Point-by-point compliance of the enclosed specifications, along with all relevant documentary evidence. The representation should be sent to The Director, ICMR-NIREH, Bhopal on 'po.nireh@gmail.com' so as to reach on or before 20.11.2026 up to 11:00 AM, failing which it will be presumed that no any other bidder is interested to offer comments/ objection and case will be decided accordingly on its merit.

   5. The following quantities are hereby specified in the AT&C:

      1. i) Cryo Gloves – 1 Pair (2 Nos.)
      2. ii) Utility Tray – 6 Nos.
      3. iii) PBS – 1 Litre
      4. iv) BCA Protein Assay Kit – 250 Reactions.

   .

9. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.

5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**